

Mehrabi A, Wiesel M, Zeier M, Kashfi A, Schemmer P, Kraus T, Büchler MW, Schmidt J Results of renal transplantation using kidneys harvested from living donors at the University of Heidelberg. Nephrol Dial Transplant 2004, 19 Suppl.4: 48-54	2	3.15
Mehrabi A, Kashfi A, Tönshoff B, Feneberg R, Mehls O, Schemmer P, Kraus T, Friess H, Wiesel M, Büchler MW, Schmidt J Long-term Results of paediatric kidney transplantation at the University of Heidelberg: a 35 year single-centre experience. Nephrol Dial Transplant 2004, 19 Suppl.4: 69-74		3.15
Alvarez CM, Opelz G, Giraldo MC, Pelzl S, Renner F, Weimer R, Schmidt J, Arbelaez M, Garcia LF, Susal C (2005) Evaluation of T-cell receptor repertoires in patients with long-term renal allograft survival Am J Transplant 5:746-756	1	6.8
Pahlavan PS, Mehrabi A, Kashfi M, Soleimani M, Fani-Yazdi SH, Schemmer P, Gutt CN, Friess H, Weitz J, Kraus TW, Büchler MW, Schmidt J Guidelines for prevention and management of complications following kidney transplantation in rats. Transplant Proc 2005, 37: 2333-2337	1	0.96
Schwenger V, Korosoglou G, Hinkel UP, Morath C, Hansen A, Sommerer C, Dikow R, Hardt S, Schmidt J, Kücherer H, Katus Ha, Zeier M Real-time contrast-enhanced sonography of renal transplant recipients predicts chronic allograft nephropathy. Am J Transplant 2006, 6:609-615		6.8
Weitz J, Koch M, Mehrabi A, Schemmer P, Zeier M, Beimler J, Büchler M, Schmidt J Living-donor kidney transplantation: risks of the donor--benefits of the recipient. Clin Transplant. 2006, 20 (Suppl 1):13-16		
Sommerer C, Konstandin M, Dengler T, Schmidt J, Meuer S, Zeier M, Giese T Pharmacodynamic monitoring of cyclosporine a in renal allograft recipients shows a quantitative relationship between immunosuppression and the occurrence of recurrent infections and malignancies. Transplantation 2006, 82:1280-1285		3.97
Schmid BM, Sauer P, Mehrabi A, Welsch T, Büchler MW, Zeier M, Schmidt J Immunosuppressive standards in simultaneous kidney-pancreas transplantation. Clin Transplant. 2006, 20:44-50		

Mehrabi A, Fonouni H, Wente M, Sadeghi M, Eisenbach C, Encke J, Schmied BM, Libicher M, Zeier M, Büchler MW, **Schmidt J**

Mehrabi A, Fonouni H, Kashfi A, Schmied BM, Morath C, Sadeghi M, Encke J, Sauer P, Schemmer P, Zeier M, Weitz J, Büchler MW, **Schmidt J**
The role and value of sirolimus administration in kidney and liver transplantation.

Clin Transplant. 2006, 20:30-43

Miftari N, Beimler J, Morath C, Schmidt J, Zeier M

Report on the first Balkan Nephrology School held in Prishtina/Kosova and on the first living related kidney transplantation at the University Hospital of Prishtina,
23 26 May 2007.
Nephrol Dial Transplant 2007

Mehrabi A, Mood ZA, Sadeghi M, Schmied BM, Müller SA, Welsch T, Kuttymuratov G, Wente MN, Weitz J, Zeier M, Riediger C, Schemmer P, Encke J, Büchler MW, **Schmidt J**

Thymoglobulin and ischemia reperfusion injury in kidney and liver transplantation.

Nephrol Dial Transplant 2007, 22:54-60

Morath C, Arns W, Schwenger V, Mehrabi A, Fonouni H, Schmidt J, Zeier M
Sirolimus in renal transplantation.

Nephrol Dial Transplant 2007, 22:61-65

Mahmoud K, Opelz G, Pelzl S, Daniel V, Sommerer C, Zeier M, Schmidt J, Schonemann C, Schnulle P, Susal C

3.9

Evaluation of hepatocyte growth factor as a sensitive marker for early detection of acute renal allograft rejection.

Transplantation 2007, 8: 1035-1040

Sadeghi M, Daniel V, Naujokat C, Schmidt J, Mehrabi A, Zeier M, Opelz G
Evidence for IFN-gamma up- and IL-4 downregulation late post-transplant in patients with good kidney graft outcome

2.1

Clin Transplant 2007, 21:449-59

Heller T, an Gelder T, Budde K, Fijter W, Kuypers, Arms W, Schmidt J, Rostaing L, Powis SH, Claesson K, MacPhee IAM, Pohanka E, Engelömayer J, Brandhorst G, Oellerich M, Armstrong VW
Plasma concentrations of mycophenolic acid acyl glucuronide are not associated with diarrhea in renal transplant recipients
Am J Transplant 2007, 7:1822-31.

6.8

Sievers E, Dreimuller P, Haferkamp A, Schmidt-Wolf IG, Buchler MW,
Schmidt J, Marten A.
Characterization of primary renal carcinoma cultures.
Urol Int. 2007, 79:235-43.

212.Guan X, Dei-Anane G, Liang R, Gross ML, Nickholgh A, Kern M,
Ludwig J, Zeier M, Büchler MW, Schmidt J, Schemmer P
Donor preconditioning with taurine protects kidney grafts from injury after
experimental transplantation.
J Surg Res 2008, 146(1):127-34

Sadeghi M, Daniel V, Naujokat C, Schnitzler P, Schmidt J, Mehrabi A, Zeier M,
Opelz G
Dysregulated cytokine responses during cytomegalovirus infection in renal transplant
recipients.
Transplantation. 2008, 86(2):275-85.

Sadeghi M, Daniel V, Naujokat C, Schmidt J, Mehrabi A, Zeier M, Opelz G
Decreasing plasma soluble IL-1 receptor antagonist and increasing monocyte
activation early post-transplant may be involved in pathogenesis of delayed graft
function in renal transplant recipients.
Clin Transplant. 2009, 24(3):415-23.

Sadeghi M, Daniel V, Lahdou I, Döhler B, Naujokat C, Renner FC, Weimer R,
Fonouni H, Mehrabi A, Schmidt J, Schenk M, Zeier M, Opelz G.
Association of pretransplant soluble glycoprotein 130 (sgp130) plasma levels and
posttransplant acute tubular necrosis in renal transplant recipients.
Transplantation. 2009, 88(2):266-71.

Beimler JH, Morath C, Schmidt J, Ovens J, Opelz G, Rahmel A, Zeier M,
Süsal C
Successful deceased-donor kidney transplantation in crossmatch-positive
patients with peritransplant plasma exchange and Rituximab.
Transplantation. 2009, 87(5):668-71.

Djakovic N, Wagener N, Adams J, Gilfrich C, Haferkamp A, Pfitzenmaier J,
Toenshoff B, Schmidt J, Hohenfellner M
Intestinal reconstruction of the lower urinary tract as a prerequisite for renal
transplantation.
BJU Int. 2009, 103(11):1555-60.

Morath C, Schmied BM, Mehrabi A, Weitz J, Schmidt J, Werner J, Büchler MW,
Morcos M, Nawroth PP, Schwenger V, Döhler B, Opelz G, Zeier M
Simultaneous pancreas-kidney transplantation in type 1 diabetes.
Clin Transplant 2009, 23:115-120

Morath C, Schmied BM, Mehrabi A, Weitz J, Schmidt J, Werner J, Büchler MW,
Morcos M, Nawroth PP, Schwenger V, Döhler B, Opelz G, Zeier M
Angiotensin-converting enzyme inhibitors and angiotensin II type 1 receptor block
after renal transplantation.
Clin Transplant 2009, 23:33-36

Lahdou I, Sadeghi M, Daniel V, Schenk M, Renner F, Weimer R, Löb S, Schmidt Mehrabi A, Schnitzler P, Königsrainer A, Döhler B, Opelz G, Terness P
Increased pretransplantation plasma kynurenone levels do not protect from but predict acute kidney allograft rejection.
Hum Immunol. 2010, 71:1067-1072

Fonouni H, Golriz M, Mehrabi A, Oweira H, Schmied BM, Müller SA, Jarahian P, Tahmasbi Rad M, Esmaeilzadeh M, Tönshoff B, Weitz J, Büchler MW, Zeier M, Schmidt J
The role of an interdisciplinary transplant team on living donation kidney transplantation program.
Transplant Proc 2010, 42:137-140

Németh D, Ovens J, Opelz G, Sommerer C, Döhler B, Becker LE, Gross ML, Waldherr R, Mieth M, Sadeghi M, Schmidt J, Langer RM, Zeier M, Süsal C
Does borderline kidney allograft rejection always require treatment?
Transplantation. 2010, 90(4):427-32.

Mehrabi A, Fonouni H, Gloriz M, Schmied BM, Tahmasbirad M, Weitz J, Büchler MW, Zeier M, Schmidt J
[Living-donor kidney transplantation].
Chirurg 2010, 81:794, 796-800, 802-803

Seckinger J, Tönshoff B, Stremmel W, Zeier M, Schmidt J
[Combined liver-kidney and kidney after liver transplantation; indications and experiences from a nephrological perspective at a single center].
Dtsch Med Wochenschr 2010, 42:2634-2641

Sommerer C, Glander P, Arns W, Ariatabar T, Kramer S, Vogel EM, Shipkova M, Fischer W, Liefeldt L, Hackenberg R, Schmidt J, Zeier M, Budde K
Safety and efficacy of intensified versus standard dosing regimens of enteric-coated mycophenolate sodium in de novo renal transplant patients.
Transplantation 2011, 91:779-785

Morath C, Schmidt J, Opelz G, Zeier M, Süsal C
Kidney transplantation in highly sensitized patients: are there options to overcome a positive crossmatch?
Langenbecks Arch Surg 2011, 396:467-474