

Publikationsliste (Stand April 2016)

PDF Dateien oder eine Kopie der Publikationen können Sie gerne anfordern unter: info@neurochirurgie-fathi.ch

[Link zu PubMed Publikationen.](#)

54: **Fathi AR**. Chirurgische Behandlung von intrazerebralen Blutungen.

InFo Neurologie & Psychiatrie 2015; Vol. 13, Nr. 6

53: Soleman J, Leiggenger C, Schlaeppli AJ, Kienzler J, **Fathi AR**, Fandino J.

The Extended Subfrontal and Fronto-Orbito-Zygomatic Approach in Skull Base Meningioma

Surgery: Clinical, Radiologic, and Cosmetic Outcome. J Craniofac Surg. 2016 Jan 28

52: Soleman J, Schär K, Muroi C, Schatlo B, Remonda L, Fandino J, **Fathi AR**.

Transforaminal Lumbar Interbody Fusion Using LOOP® PEEK Cage Implants: Safety, Feasibility, Radiographic and Clinical Outcome. J Spine 4:261 2016 Okt.

51: Croci D, Michael D, Kahles T, **Fathi AR**, Fandino J, Marbacher S. Ipsilateral dural thickening and enhancement: A sign of isolated cortical vein thrombosis? A case report and review of the literature. World Neurosurg. 2016 Mar 18. pii:S1878-8750(16)00445-9

50: Hlavica M, Ineichen BV, **Fathi AR**, Remonda L, Diepers M.

Parasagittal Dural Arteriovenous Fistula Treated With Embosene Microspheres. J Endovasc Ther. 2015 Sep 3.

49: Schatlo B, Fandino J, Smoll NR, Wetzel O, Remonda L, Marbacher S, Perrig W, Landolt H, **Fathi AR**.

Outcomes after combined use of intraoperative MRI and 5-aminolevulinic acid in high-grade glioma surgery. Neuro Oncol. 2015 Apr 8. pii: nov049

48: Soleman J, Baumgartner P, Perrig WN, **Fathi AR**.

Non-instrumented Extradural Lumbar Spine Surgery Under Low-dose Acetylsalicylic Acid: A Comparative Risk Analysis Study.

In Press: European Spine Journal

47: Stienen MN, Smoll NR, Battaglia M, Schatlo B, Woernle CM, Fung C, Röthlisberger M, Daniel RT, **Fathi AR**, Fandino J, Hildebrandt G, Schaller K, Bijlenga P; Swiss SOS study group.

Intracranial Aneurysm Rupture Is Predicted by Measures of Solar Activity. *World Neurosurg.* 2014 Dec 17

46: **Fathi AR**, Bakhtian KD, Marbacher S, Fandino J, Pluta RM. Blood clot placement model of subarachnoid hemorrhage in non-human primates. *Acta Neurochir Suppl.* 2015;120:343-6.

45: Marbacher S, **Fathi AR**, Muroi C, Coluccia D, Anderegg L, Neuschmelting V, Widmer HR, Jakob SM, Fandino J. The rabbit blood shunt subarachnoid haemorrhage model. *Acta Neurochir Suppl.* 2015;120:337-42.

44: Soleman J, Schatlo B, Dan-Ura H, Remonda L, Fandino J, **Fathi AR**.

Craniotomy without flap replacement for ruptured intracranial aneurysms to reduce ischemic brain injury: a preliminary safety and feasibility analysis. *Acta Neurochir Suppl.* 2015;120:217-22.

43: Danura H, Schatlo B, Marbacher S, Kerkeni H, Diepers M, Remonda L, **Fathi AR**, Fandino J. Acute angiographic vasospasm and the incidence of delayed cerebral vasospasm: preliminary results. *Acta Neurochir Suppl.* 2015;120:187-90.

42: Kerkeni H, Schatlo B, Dan-Ura H, Remonda L, Muroi C, Diepers M, Fandino J, **Fathi AR**.

Proximal arterial diameters on CT angiography and digital subtraction angiography correlate both at admission and in the vasospasm period after aneurysmal subarachnoid hemorrhage. *Acta Neurochir Suppl.* 2015;120:171-5.

41: Nevzati E, Shafighi M, Bakhtian KD, Treiber H, Fandino J, **Fathi AR**.

Estrogen induces nitric oxide production via nitric oxide synthase activation in endothelial cells. *Acta Neurochir Suppl.* 2015;120:141-5.

- 40: Nevzati E, Schatlo B, **Fathi AR**, Fandino J, Muroi C. Intraoperative visualization of bilateral thrombosis in the posterior inferior cerebellar artery apparent in the telovelomedullary segment. *Case Rep Neurol Med*. 2014;2014:247652.
- 39: Schattlo B, **Fathi AR**, Fandino J. Management of aneurysmal subarachnoid haemorrhage. *Swiss Med Wkly*. 2014 Apr 29;144:w13934. doi: 10.4414/smw.2014.13934. eCollection 2014. Review.
- 38: Marbacher S, Klinger E, Schwyzer L, Fischer I, Nevzati E, Diepers M, Roelcke U, **Fathi AR**, Coluccia D, Fandino J. Use of fluorescence to guide resection or biopsy of primary brain tumors and brain metastases. *Neurosurg Focus*. 2014 Feb;36(2):E10.
- 37: Roelcke U, Boxheimer L, **Fathi AR**, Schwyzer L, Ortega M, Berberat J, Remonda L. Cortical hemosiderin is associated with seizures in patients with newly diagnosed malignant brain tumors. *J Neurooncol*. 2013 Dec;115(3):463-8.
- 36: Stienen MN, Weisshaupt R, Fandino J, Fung C, Keller E, Hildebrandt G, Studerus-Germann A, Müri R, Gutbrod K, Bläsi S, Monsch AU, Brugger P, Mondadori C, Sailer M, Bijlenga P, Schaller K, Schatlo B; Swiss SOS study group (incl. **Fathi AR**). Current practice in neuropsychological outcome reporting after aneurysmal subarachnoid haemorrhage. *Acta Neurochir (Wien)*. 2013 Nov;155(11):2045-51.
- 35: **Fathi AR**, Roelcke U. Meningioma. *Curr Neurol Neurosci Rep*. 2013 Apr;13(4):337. doi: 10.1007/s11910-013-0337-4. Review.
- 34: Soleman J, **Fathi AR**, Marbacher S, Fandino J. The role of intraoperative magnetic resonance imaging in complex meningioma surgery. *Magn Reson Imaging*. 2013 Jul;31(6):923-9.
- 33: Muroi C, Fandino J, Coluccia D, Berkmann S, **Fathi AR**, Landolt H. 5-Aminolevulinic acid fluorescence-guided surgery for spinal meningioma. *World Neurosurg*. 2013 Jul-Aug;80(1-2):223.e1-3.
- 32: Schatlo B, Fung C, **Fathi AR**, Sailer M, Winkler K, Daniel RT, Bijlenga P, Ahlborn P, Seule M, Zumofen D, Reinert M, Woernle C, Stienen M, Levivier M, Hildebrandt G, Mariani L, Bernays R, Fandino J, Raabe A, Keller E, Schaller K. Introducing a nationwide registry: the Swiss study on aneurysmal subarachnoid haemorrhage (Swiss SOS). *Acta Neurochir (Wien)*. 2012 Dec;154(12):2173-8;
- 31: Fandino J, Taussky P, Marbacher S, Muroi C, Diepers M, **Fathi AR**, Remonda L. The concept of a hybrid operating room: applications in cerebrovascular surgery. *Acta Neurochir Suppl*. 2013;115:113-7.

30: Shafighi M, **Fathi AR**, Brun C, Huemer GM, Wirth R, Hunger R, Banic A, Constantinescu MA. Topical application of 17 β -estradiol (E2) improves skin flap survival through activation of endothelial nitric oxide synthase in rats. *Wound Repair Regen*. 2012 Sep-Oct;20(5):740-7.

29: Shafighi M, Olariu R, Brun C, **Fathi AR**, Djafarzadeh S, Jakob SM, Hunger RE, Banic A, Constantinescu MA. The role of androgens on hypoxia-inducible factor (HIF)-1 α -induced angiogenesis and on the survival of ischemically challenged skin flaps in a rat model. *Microsurgery*. 2012 Sep;32(6):475-81.

28: Marbacher S, Anderegg L, Erhardt S, **Fathi AR**, Fandino J, Raabe A, Beck J. Intraoperative template-molded bone flap reconstruction for patient-specific cranioplasty. *Neurosurg Rev*. 2012 Oct;35(4):527-35; discussion 535.

27: Marbacher S, Coluccia D, **Fathi AR**, Anderegg L, Beck J, Fandino J. Intraoperative patient-specific reconstruction of partial bone flap defects after convexity meningioma resection. *World Neurosurg*. 2013 Jan;79(1):124-30.

26: Soleman J, Marbacher S, Fandino J, **Fathi AR**.

Is the use of antibiotic-impregnated external ventricular drainage beneficial in the management of iatrogenic ventriculitis? *Acta Neurochir (Wien)*. 2012 Jan;154(1):161-4;

25: **Fathi AR**, Pluta RM, Bakhtian KD, Qi M, Lonser RR. Reversal of cerebral vasospasm via intravenous sodium nitrite after subarachnoid hemorrhage in primates. *J Neurosurg*. 2011 Dec;115(6):1213-20.

24: Shafighi M, Olariu R, **Fathi AR**, Djafarzadeh S, Jakob SM, Banic A, Constantinescu MA. Dimethyloxalylglycine stabilizes HIF-1 α in cultured human endothelial cells and increases random-pattern skin flap survival in vivo. *Plast Reconstr Surg*. 2011 Aug;128(2):415-22.

23: **Fathi AR**, Marbacher S, Graupner T, Wehrli F, Jakob SM, Schroth G, Fandino J. Continuous intrathecal glyceryl trinitrate prevents delayed cerebral vasospasm in the single-SAH rabbit model in vivo. *Acta Neurochir (Wien)*. 2011 Aug;153(8):1669-75;

22: **Fathi AR**, Yang C, Bakhtian KD, Qi M, Lonser RR, Pluta RM. Carbon dioxide influence on nitric oxide production in endothelial cells and astrocytes: cellular mechanisms. *Brain Res*. 2011 Apr 22;1386:50-7.

21: **Fathi AR**, Mariani L, Szucs Farkas Z, Exadaktylos AK, Bonel HM. Evaluation of the new Statscan radiography device for ventriculoperitoneal shunt assessment. *AJR Am J Roentgenol*. 2011 Mar;196(3):W285-9.

20: Pluta RM, Oldfield EH, Bakhtian KD, **Fathi AR**, Smith RK, Devroom HL, Nahavandi M, Woo S, Figg WD, Lonser RR. Safety and feasibility of long-term intravenous sodium nitrite infusion in healthy volunteers. *PLoS One*. 2011 Jan 10;6(1):e14504.

19: **Fathi AR**, Bakhtian KD, Pluta RM. The role of nitric oxide donors in treating cerebral vasospasm after subarachnoid hemorrhage. *Acta Neurochir Suppl*. 2011;110(Pt 1):93-7.

18: **Fathi AR**, Vortmeyer A, Holland SM, Pluta RM. Intracranial aneurysms associated with hyperimmunoglobulinaemia E (Job) syndrome: report of two cases. *J Neurol Neurosurg Psychiatry*. 2011 Jun;82(6):704-6.

17: Schatlo B, Dreier JP, Gläsker S, **Fathi AR**, Moncrief T, Oldfield EH, Vortmeyer AO, Pluta RM. Report of selective cortical infarcts in the primate clot model of vasospasm after subarachnoid hemorrhage. *Neurosurgery*. 2010 Sep;67(3):721-8;

16: **Fathi AR**, Marbacher S, Fandino J. Patient specific "not" computer-assisted cranioplasty. *Acta Neurochir (Wien)*. 2010 Feb;152(2):385; author reply 387.

15: Neuschmelting V, Marbacher S, **Fathi AR**, Jakob SM, Fandino J. Elevated level of endothelin-1 in cerebrospinal fluid and lack of nitric oxide in basilar arterial plasma associated with cerebral vasospasm after subarachnoid haemorrhage in rabbits. *Acta Neurochir (Wien)*. 2009 Jul;151(7):795-801;

14: **Fathi AR**, Eshtehardi P, Meier B. Patent foramen ovale and neurosurgery in sitting position: a systematic review. *Br J Anaesth*. 2009 May;102(5):588-96.

13: Neuschmelting V, **Fathi AR**, Hidalgo Staub ET, Marbacher S, Schroth G, Takala J, Jakob SM, Fandino J. Norepinephrine-induced hypertension dilates vasospastic basilar artery after subarachnoid haemorrhage in rabbits. *Acta Neurochir (Wien)*. 2009 May;151(5):487-93.

12: **Fathi AR**, Marbacher S, Lukes A. Cost-effective patient-specific intraoperative molded cranioplasty. *J Craniofac Surg*. 2008 May;19(3):777-81.

- 11: Marbacher S, Andres RH, **Fathi AR**, Fandino J. Primary reconstruction of open depressed skull fractures with titanium mesh. *J Craniofac Surg*. 2008 Mar;19(2):490-5.
- 10: **Fathi AR**, Novoa E, El-Koussy M, Kappeler A, Mariani L, Vajtai I. Astroblastoma with rhabdoid features and favorable long-term outcome: report of a case with a 12-year follow-up. *Pathol Res Pract*. 2008;204(5):345-51.
- 9: Neuschmelting V, **Fathi AR**. Suspended laminoplasty. *J Neurosurg Spine*. 2008 Feb;8(2):201; author reply 202.
- 8: **Fathi AR**, Erni D. Images in clinical medicine. Calcified hematoma of the skull. *N Engl J Med*. 2008 Jan 31;358(5):e5.
- 7: **Fathi AR**. Is it reasonable to do endocrine investigation in unilateral gynecomastia? *Ann Plast Surg*. 2007 Oct;59(4):475.
- 6: **Fathi AR**, Vassella E, Arnold M, Curschmann J, Reinert M, Vajtai I, Weis J, Deiana G, Mariani L. Objective response to radiation therapy and long-term survival of patients with WHO grade II astrocytic gliomas with known LOH 1p/19q status. *Strahlenther Onkol*. 2007 Sep;183(9):517-22.
- 5: Fandino J, **Fathi AR**, Graupner T, Jacob S, Landolt H. [Perspectives in the treatment of subarachnoid-hemorrhage-induced cerebral vasospasm]. *Neurocirugia (Astur)*. 2007 Feb;18(1):16-27. Review. Spanish.
- 4: Mariani L, Deiana G, Vassella E, **Fathi AR**, Murtin C, Arnold M, Vajtai I, Weis J, Siegenthaler P, Schobesberger M, Reinert MM. Loss of heterozygosity 1p36 and 19q13 is a prognostic factor for overall survival in patients with diffuse WHO grade 2 gliomas treated without chemotherapy. *J Clin Oncol*. 2006 Oct 10;24(29):4758-63. Epub 2006 Sep 11.
- 3: Mariani L, Siegenthaler P, Guzman R, Friedrich D, **Fathi AR**, Ozdoba C, Weis J, Ballinari P, Seiler RW. The impact of tumour volume and surgery on the outcome of adults with supratentorial WHO grade II astrocytomas and oligoastrocytomas. *Acta Neurochir (Wien)*. 2004 May;146(5):441-8.
- 2: **Fathi AR**, Krautheim A, Lucke S, Becker K, Juergen Steinfeld H. Nonradioactive technique to measure protein phosphatase 2A-like activity and its inhibition by drugs in cell extracts. *Anal Biochem*. 2002 Nov 15;310(2):208-14.

1: **Fathi AR**, Krautheim A, Kaap S, Eger K, Steinfelder HJ. Michael adducts of ascorbic acid as inhibitors of protein phosphatase 2A and inducers of apoptosis. *Bioorg Med Chem Lett*. 2000 Jul 17;10(14):1605-8.

Regelmässige Abstracts, Vorträge und sonstige Kongressbeiträge seit 2001 sind nicht aufgelistet.