

Publikationen PD Dr. med. Reto Wettstein

2015

Brustkrebs - die Rolle der plastischen Chirurgie.

Wettstein R, Erni D, Harder Y, Fulco I, Ling B, Schaefer DJ, Weber W, Haug M.
Swiss Med Forum 15:65-67, 2015

Phase II metabolism in human skin: skin explants show full coverage for glucuronidation, sulfation, N-acetylation, catechol methylation, and glutathione conjugation.

Manevski N, Swart P, Balavenkatraman KK, Bertschi B, Camenisch G, Kretz O, Schiller H, Walles M, Ling B, **Wettstein R**, Schaefer DJ, Itin P, Ashton-Chess J, Pognan F, Wolf A, Litherland K
Drug Metab Dispos. 2015 Jan;43(1):126-39.

2014

Eigenfettgewebetransplantation in die Brust – ja aber!

Wettstein R, Ling BM, Harder Y, Schaefer DJ.
Swiss Med Forum 14:954-56, 2014

Ischemic tissue injury in the dorsal skinfold chamber of the mouse: a skin flap model to investigate acute persistent ischemia.

Harder Y, Schmauss D, **Wettstein R**, Egana JT, Weiss F, Weinzierl A, Schuldt A, Machens HG, Menger MD, Rezaeian F.
J Vis Exp 17:e51900, 2014

Power assisted liposuction (PAL) of multiple symmetric lipomatosis (MSL)- a longitudinal study.

Tremp M, **Wettstein R**, Tschang LA, Schaefer DJ; Rieger UM, Kalbermatten DF.
Surg Obes Relat Dis, 2014

Aldehyde oxidase activity in fresh human skin.

Manevski N, Balavenkatraman KK, Bertschi B, Swart P, Walles M, Camenisch G, Schiller H, Kretz O, Ling B, **Wettstein R**, Schaefer DJ, Pognan F, Wolf A, Litherland K.
Drug Metab Dispos. 2014 Dec;42(12):2049-57.

Treatment of Secondary Burn Wound Progression in Contact Burns-A Systematic Review of Experimental Approaches.

Schmauss D, Rezaeian F, Finck T, Machens HG, **Wettstein R**, Harder Y.
J Burn Care Res. 2014 Oct 13.

Defect reconstruction over the olecranon with the distally extended lateral arm flap.

Wettstein R, Helmy N, Kalbermatten DF.
J Plast Reconstr Aesthet Surg 67:1125-8, 2014

Superior epigastric artery perforator flap for sternal osteomyelitis defect reconstruction.

Wettstein R, Weisser M, Schaefer DJ, Kalbermatten DF.
J Plast Reconstr Aesthet Surg 67:634-9, 2014

Progenitor cell therapy for sacral pressure sore: a pilot study with a novel human chronic wound model.

Wettstein R, Savic M, Pierer G, Scheufler O, Haug M, Halter J, Gratwohl A, Schaefer DJ, Kalbermatten DF.
Stem Cell Res Ther 29:18, 2014

Efficacy, safety and complications of autologous fat grafting to healthy breast tissue: A systematic review.

Largo R, Tchang LA, Mele V, Scherberich A, Harder Y, **Wettstein R**, Schaefer DJ.
J Plast Reconstr Aesthet Surg 67:437-48; 2014

Bovine dermal matrix as coverage of facial nerve grafts.

Kappos EA, Engels PE, **Wettstein R**, Schaefer DJ, Kalbermatten DF.
Case Rep Med. 2014

2013

Efficacy, safety and complications of autologous fat grafting to healthy breast tissue: A systematic review.

Largo RD, Tchang LA, Mele V, Scherberich A, Harder Y, **Wettstein R**, Schaefer DJ.
J Plast Reconstr Aesthet Surg, 2013

Local flap therapy for the treatment of pressure sore wounds.

Wettstein R, Tremp M, Baumberger M, Schaefer DJ, Kalbermatten DF.
Int Wound J, 2013

Second free radial forearm flap for urethral reconstruction after partial flap necrosis of tube-in-tube phalloplasty with radial forearm flap: A report of two cases.

Tchang LA, Largo RD, Babst D, **Wettstein R**, Haug MD, Kalbermatten DF, Schaefer DJ.
Microsurgery 2013

Local shockwave-induced capillary recruitment improves survival of musculocutaneous flaps.

Tobalem M, **Wettstein R**, Pittet-Cuénod B, Vigato E, Machens HG, Lohmeyer JA, Rezaeian F, Harder Y.
J Surg Res 184:1196-204;2013

Treatment of basal cell carcinoma with surgical excision and perilesional interferon- α .

Wettstein R, Erba P, Itin P, Schaefer DJ, Kalbermatten DF.
J Plast Reconstr Aesthet Surg 66:912-6;2013

Three-dimensional laser surface scanning in rhinosurgery.

Largo RD, **Wettstein R**, Fulco I, Tremp M, Schaefer DJ, Gubisch W, Haug MD.
Facial Plast Surg 29:116-20;2013

Long-term preconditioning with erythropoietin reduces ischemia-induced skin necrosis.

Rezaeian F, **Wettstein R**, Scheuer C, Schenk TL, Egana JT, Machens HG, Menger MD, Harder Y.
Microcirculation 2013

Laser scanning evaluation of atrophy after autologous free muscle transfer.

Wettstein R, Largo RD, Raffoul W, Schumacher R, Schaefer DJ, Kalbermatten DF.
Ann Plast Surg, 2013

Secondary burn progression decreased by erythropoietin.

Tobalem M, Harder Y, Rezaeian F, Wettstein R.
Crit Care Med. 41:963-71;2013

Scar asymmetry after abdominoplasty: the unexpected role of seroma

Di Summa P, **Wettstein R**, Erba P, Raffoul, Kalbermatten DF.
Ann Plast Surg 71:461-3;2013

First-aid with warm water delays burn progression and increases skin survival.

Tobalem M, Harder Y, Tschanz E, Speidel V, Pittet-Cuénod B, **Wettstein R**
J Plast Reconstr Aesthet Surg 66:260-6;2013

2012

Secret scar free gracilis flap.

Tremp M, **Wettstein R**, Raffoul W, Schaefer DJ, Kalbermatten DF.
J Reconstr Microsurg 28:341-4;2012

Erythropoietin in the prevention of experimental burn progression.

Tobalem M, Harder Y, Schuster T, Rezaeian F, **Wettstein R**.
Br J Surg 99:1295-303;2012

Ghrelin protects musculocutaneous tissue from ischemic necrosis by improving microvascular perfusion.

Rezaeian F, **Wettstein R**, Scheuer C, Bäumker K, Menger MD, Harder Y.
Am J Physiol 302:H603-10;2012

2011

Locating perforator vessels by dynamic infrared imaging and flow Doppler with no thermal cold challenge.

Tenorio X, Mahajan AL, Elias B, van Riempst JS, **Wettstein R**, Harder Y, Pittet B
Ann Plast Surg 67:143-6;2011,

Superior pedicle breast reduction for hypertrophy with massive ptosis

Wettstein R, Christofide E, Pittet B, Psaras G, Harder Y.
J Plast Reconstr Aesthet Surg 64:500-7;2011

Split-thickness skin graft harvested with saline moistening.

Wettstein R, Betsi EE, Racine C, Raffoul W, Kalbermatten DF
J Burn Care Res Jan-Feb 32(1):e13, 2011

2010

Gender-specific ischemic tissue tolerance in critically perfused skin.

Harder Y, Amon M, **Wettstein R**, Rücker M, Schramm R, Menger MD.
Langenbecks Arch Surg. 395:33-40;2010

Erythropoietin-induced upregulation of endothelial nitric oxide synthase but not vascular endothelial growth factor prevents musculocutaneous tissue from ischemic damage.

Rezaeian F, **Wettstein R**, Egger JF, Sandmann F, Rücker M, Tobalem M, Vollmar B, Menger MD, Harder Y.
Lab Invest 90:40-51;2010

Fibrin sealant for fasciocutaneous flaps.

Erba P, Di Summa PG, **Wettstein R**, Raffoul W, Kalbermatten DF.
Journal of Reconstructive Microsurgery 26:213-7;2010

A comparative study of two surgical treatment strategies for painful neuroma.

Balcin H, Erba P, **Wettstein R**, Schaefer DJ, Pierer G, Kalbermatten DF
J Bone Joint Surg Br 91-B:803-8;2009

Silicone molding for pressure sore debridement.

Erba P, **Wettstein R**, Pierer G, Kalbermatten DF
J Plast Reconstr Aesthet Surg 63:550-3;2010

2009

Body taping for contour surgery.

Kalbermatten DF, **Wettstein R**, Erba P, Rieger UM, Pierer G, Raffoul W.
Aesthetic Plast Surg 33:324-6;2009

Donor site morbidity of the posterior conchal region.

Erba P, **Wettstein R**, D'Arpa S, Kalbermatten DF.
Dermatol Surg 35:960-4;2009

Early detection of flap failure using a new thermographic device.

Tenorio X, Mahajan AJ, **Wettstein R**, Harder Y, Pawlovski M, Pittet B.
J Surg Res 151:15-21;2009

Neurocutaneous sural flap in paraplegic patients.

Erba P, **Wettstein R**, Tolnay M, Rieger UM, Pierer G, DF Kalbermatten.
J Plast Reconstr Aesthet Surg 62:1094-8;2009

2008

Erythropoietin protects critically perfused flap tissue from necrosis.
Rezaeian F, **Wettstein R**, Amon M, Scheuer C, Schramm R, Menger MD, Pittet B, Harder Y.
Ann Surg 248(6):919-29;2008

Does abdominoplasty with liposuction of the love handles yield a shorter scar? An analysis with abdominal 3D laser scanning.
Rieger UM, Erba P, **Wettstein R**, Schumacher R, Haug M, Pierer G, Kalbermatten DF.
Ann Plast Surg 61:359-63, 2008

A study of the effect of sartorius transposition on lymph flow after ilioinguinal node dissection.
Erba P, **Wettstein R**, Rieger UM, Haug M, Pierer G, Kalbermatten DF.
Ann Plast Surg 61(3):310-3, 2008

Sensate lateral arm flaps for defects of the lower leg.
Kalbermatten DF, **Wettstein R**, von Kanel O, Erba P, Pierer G, Wiberg M, Haug M.
Ann Plast Surg 61(1): 40-6, 2008

Reducing the learning curve for the treatment of morphoeic (sclerosing) basal cell carcinoma of the face.
Erba P, **Wettstein R**, Rieger UM, Beltraminelli H, Pierer G, Kalbermatten DF.
Scand J Plast Reconstr Surg Hand Surg 42(3):122-6, 2008

Incomplete excision of basal call carcinoma in the subunits of the nose.
Wettstein R, Erba P, Farhadi J, Kalbermatten DF, Arnold A, Haug M, Pierer G.
Scand J Plast Reconstr Surg Hand Surg 42(2):92-5, 2008

Review of 197 consecutive free flap reconstructions in the lower extremity.
Wettstein R, Schürch R, Banic A, Erni D, Harder Y.
J Plast Reconstr Aesthet Surg 61(79):772-6, 2008

Microvascular experimental evidence on the relative significance of restoring oxygen carrying capacity vs. blood viscosity in shock resuscitation.
Salazar Vázquez BY, **Wettstein R**, Cabrales P, Tsai AG, Intaglietta M.
Biochim Biophys Acta 1784(10):1421-7; 2008

Marjolin's ulcer revisited – Basal cell carcinoma arising form grenade fragments? Rieger UM,
Kalbermatten DF, **Wettstein R**, Heider I, Haug M, Pierer G.
J Plast Reconstr Aesthet Surg 61(1):65-70; 2008

An old dream revitalised: preconditioning strategies to protect surgical flaps from critical ischaemia and ischaemia-reperfusion injury.
Harder Y, Amon M, Laschke MW, Schrammm R, Rücker M, **Wettstein R**, Bastiaanse J, Frick A, Machens HG, Küntscher M, Germann G, Vollmar B, Erni D, Menger MD.
J Plast Reconstr Aesthet Surg 61:503-11, 2008

Posterior auricular perichondrial cutaneous graft combined with cartilage strip in nostril reconstruction.
Schmid DW, Di Summa PG, **Wettstein R**, Erba P, Raffoul W, Kalbermatten DF.
Eplasty 412-18, 2008

Successful therapy for a patient with an infected ascending aortic graft and sternal osteomyelitis without graft removal.
Schmid DW, Orasch-Jörg Ch, **Wettstein R**, Kalbermatten DF, Todorov A, Pierer G.
Eplasty 419-22, 2008

2007

Hemiface Rhinoplasty.

Kalbermatten DF, Erba P, **Wettstein R**, Pierer G.
Aesthetic Plast 32(2):227-33, 2007

Morphoeic basal cell carcinoma of the face.

Erba P, Farhadi J, **Wettstein R**, Arnold A, Harr T, Pierer G.
Scand J Plast Reconstr Hand Surg 41:184-8, 2007

Laser scanner analysis in reconstruction of traumatic laceration of the facial nerve.

Kalbermatten DF, **Wettstein R**, Erba P, Schumacher R, Dagorov P, Pierer G.
Laser Physics Letters 4: 476-9, 2007

Selective blockade of endothelin-B receptor improves survival of critically perfused musculocutaneous flaps.

Wettstein R, Morsdorf P, Bachle A, Amon M, Pittet B, Menger MD, Harder Y.
Langenbecks Arch Surg 392:331-8, 2007

Hemoglobin vesicles to treat critical ischemia.

Erni D, **Wettstein R**, Contaldo C, Plock JA, Rafatmehr N, Sakai H, Tsuchida E.
Artificial Blood 15(2): 58-64, 2007

2006

Laser surface scanning analysis in reconstructive rhinoplasty.

Wettstein R, Kalbermatten DF, Rieger UM, Schumacher R, Dagorov P, Pierer G.
Aesthetic Plast Surg 30:637-40, 2006

High magnification assessment improves complete resection of facial tumors.

Wettstein R, Kalbermatten DM, Rieger U, Farhadi J, Harr T, Pierer G.
Ann Plast Surg 57:517-20, 2006

Early resuscitation with polymerized bovine hemoglobin reverses acidosis, but not peripheral tissue oxygenation in a severe hamster shock model.

Wettstein R, Tsai AG, Harder Y, Erni D, Intaglietta M.
Shock 26:496-503, 2006

Rapid restoration of microcirculatory blood flow with hyperviscous and hyperoncotic solutions lowers the transfusion trigger in resuscitation from hemorrhagic shock.

Wettstein R, Erni D, Intaglietta M, Tsai AG.
Shock 25:641-6, 2006

Effective treatment of permanent tattoos with combustible particles due to blast injuries with a V-shaped device.

Kalbermatten DF, **Wettstein R**, Haug M, du Croo de Jongh NT, Pierer G.
J Plast Reconstr Aesthet Surg 59:398-403, 2006

2005

New posterior auricular perichondrial cutaneous graft for stable reconstruction of nasal defects.

Kalbermatten DF, Haug M, **Wettstein R**, Schaefer DJ, Pierer G.
Aesthetic Plast Surg 29:489-95, 2005

2004

Resuscitation from hemorrhagic shock with MalPEG-albumin: Comparison with MalPEG-hemoglobin.

Wettstein R, Cabrales P, Erni D, Tsai AG, Winslow RM, Intaglietta M.
Shock 22(4):351-7; 2004

Improving microcirculation is more effective than substitution of red blood cells to correct metabolic disorder in experimental hemorrhagic shock.

Wettstein R, Tsai AG, Erni D, Torchilin VP, Intaglietta M.

Shock 21(3):235-40, 2004

An effective blood replacement fluid that targets oxygen delivery, increases plasma viscosity, and has high oxygen affinity.

Tsai AG, Sakai H, **Wettstein R, Kerger H, Intaglietta M.**

Transfusion Alternatives in Transfusion Medicine 5(6):507-15, 2004

2003

Improved oxygenation in ischemic hamster flap tissue is correlated with increasing hemodilution with Hb vesicles and their O₂ affinity.

Contaldo C, Schramm S, **Wettstein R, Sakai H, Takeoka S, Tsuchida E, Leunig M, Banic A, Erni D.**

Am J Physiol Heart Circ Physiol 285:H1140-7, 2003

Resuscitation with MalPEG-Hemoglobin improves microcirculatory blood flow and tissue oxygenation after hemorrhagic shock in awake hamsters.

Wettstein R, Tsai AG, Erni D, Winslow R.M, Intaglietta M.

Crit Care Med 31:1824-30; 2003

Normovolemic hemodilution with Hb vesicle solution attenuates hypoxia in ischemic hamster flap tissue.

Erni D, **Wettstein R, Schramm S, Contaldo C, Sakai H, Takeoka S, Tsuchida E, Leunig M, Banic A.**

Am J Physiol Heart Circ Physiol 284:H1702-9; 2003

2002

Systemic and microvascular responses to hemorrhagic shock and resuscitation with Hb vesicles.

Sakai H, Takeoka S, **Wettstein R, Tsai AG, Intaglietta M, Tsuchida E.**

Am J Physiol Heart Circ Physiol 283:H1191-9;2002

Radical sternectomy and primary musculocutaneous flap reconstruction to control sternal osteitis.

Wettstein R, Erni D, Berdat P, Rothenfluh DA, Banic A.

J Thorac Cardiovasc Surg 123:1185-90; 2002

Acute normovolemic hemodilution improves oxygenation in ischemic flap tissue.

Schramm S, **Wettstein R, Wessendorf R, Jakob SM, Banic A, Erni D.**

Anesthesiology 96:1478-84; 2002

2001

Endothelin Receptor Blockade Improves Oxygenation in Contralateral TRAM Flap Tissue. Erni D, Wessendorf R, **Wettstein R, Schilling MK, Banic A.**

Br J Plast Surg 54:412-8; 2001

2000

The effect of pedicle artery vasospasm on microhemodynamics in anatomically perfused and extended flap tissue.

Wettstein R, Wessendorf R, Sckell A, Leunig M, Banic A, Erni D.

Ann Plast Surg 45:155-61; 2000

Buchkapitel

Frontiers in Drug Discovery: Erythropoietic Stimulating Agents

Effects of Erythropoietin in Skin Regeneration and Repair.

Sorg H, **Wettstein R**, Vogt PM, Harder Y.

2013, 160-179

Manual of soft-tissue management in orthopaedic trauma

Editors: D. Volgas, Y. Harder, 2011

Chapter 2: Basic anatomical principles and functions of soft tissue and bone

General anatomical considerations.

Wettstein R, Erni D

The Fascial connective tissue framework.

Wettstein R, Erni D

Skin and subcutaneous tissue.

Wettstein R, Erni D

Tendon and muscle.

Wettstein R, Erni D

Regional variations in vascular anatomy.

Wettstein R, Erni D

Chapter 5: Preoperative assessment and classification of soft-tissue injuries

Preoperative assessment of soft-tissue injuries.

Rezaeian F, **Wettstein R**, Erni D, Harder Y

Chapter 8: Principles of wound closure and coverage

Principles of decision making.

Wettstein R, Kalbermatten DF

Aim of reconstruction.

Kalbermatten DF, **Wettstein R**

Chapter 10: Wound closure and coverage techniques

Flaps in general - principles.

Calcagni M, Giovanoli P, **Wettstein R**, Harder Y

Postoperative management.

Lohmeyer JA, Harder Y, **Wettstein R**