

Ausgewählte Original-Publikationen

- Milos G, **Häuselmann HJ**, Krieg M-A, Rüegsegger P, Gallo LM. Are patterns of bone loss in anorexic and postmenopausal women similar? Preliminary results using high resolution peripheral computed tomography. *Bone*. 09/2013
- Lehmann, Th, Aeberli D, **Häuselmann HJ**. Frakturprädiktion - nicht nur eine Frage der Knochendichte. *Schweiz. Med. Forum*, 43 2103 (in Press)
- Quinn T, **Häuselmann HJ**, Shintani N, Hunziker EB. Cell and matrix morphology in articular cartilage from adult human knee and ankle joints suggests depth-associated morphological adaptations to biomechanical and anatomical roles. *Osteoarthritis and Cartilage* 2013 (in press)
- Milos G, Gallo LM, Sasic B, Uebelhart D, Goerres G, **Häuselmann HJ**, Eich D. Bone mineral density in young women on methadone substitution. *Calcif Tissue Int*. 2011 Sep;89(3):228-33.
- Steurer J, Haller C, **Häuselmann HJ**, Brunner F, Bachmann LM. Clinical value of prognostic instruments to identify patients with an increased risk for osteoporotic fractures: systematic review. *PLoS One*. 2011;6(5):e19994. Epub 2011 May 18.
- I. Bernasconi, **H.J. Häuselmann**. Wirkung von intravenösem Ibandronat auf Knochendichte und Knochenmarker. Praxisstudie mit postmenopausalen Frauen mit Osteoporose in einer rheumatologischen Praxis. *Osteologie*, 2009;18:128-134
- Milos Gabriella, Gallo Luigi, Uebelhart Daniel, Goerres Gerhard, **Häuselmann HansJörg**, Sasic Branca, Eich Dominique. Bone mineral density in young women on methadone substitution. *Addiction* 2009
- Zhang W, Doherty M, Leeb BF, Alekseeva L, Arden NK, Bijlsma JW, Dincer F, Dziedzic K, **Häuselmann HJ**, Kaklamannis P, Kloppenburg M, Lohmander LS, Maheu E, Martín-Mola M, Pavelka K, Punzi L, Reiter S, Smolen J, Verbruggen G, Watt I, Zimmermann-Górska I. EULAR evidence based recommendations for the diagnosis of hand osteoarthritis - report of a task force of the EULAR Standing Committee for International Clinical Studies Including Therapeutics (ESCISIT). *Ann Rheum Dis*. 2009 Jan;68(1):8-17.
- Jubel A, Andermahr J, Schiffer G, Fischer J, Rehm KE, Stoddart MJ, **Häuselmann HJ**. Transplantation of de novo scaffold-free cartilage implants into sheep knee chondral defects. *Am J Sports Med*. 2008, 36(8):1555-64
- Jüni P, Reichenbach S, Trelle S, Tschannen B, Wandel S, Jordi B, Züllig M, Guetg R, **Häuselmann HJ**, Schwarz H, Theiler R, Ziswiler HR, Dieppe P, Villiger PM, and Egger M for the Swiss Viscosupplementation Trial Group. Efficacy and Safety of intraarticular Hylan or Hyaluronic Acid for Osteoarthritis of the Knee. *Arthritis&Rheum* 2007, 56:3610-3619.
- Denk E, Hillegonds D, Hurrell R, Vogel J, Fattinger K, **Häuselmann H**, Kraenzlin M, Walczyk T. Evaluation of (41)Calcium as a new approach to assess changes in bone metabolism: effect of a bisphosphonate intervention in postmenopausal women with low bone mass. *J Bone Miner Res*. 2007;22(10):1518-25.
- Zhang W, Doherty M, Leeb BF, Alekseeva L, Arden NK, Bijlsma JW, Dincer F, Dziedzic K, **Häuselmann HJ**, Herrero-Beaumont G, Kaklamannis P, Lohmander S, Maheu E, Martín-Mola E, Pavelka K, Punzi L, Reiter S, Sautner J, Smolen J, Verbruggen G, Zimmermann-Górska I. EULAR evidence based recommendations for the management of hand osteoarthritis: report of a Task Force of the EULAR Standing Committee for International Clinical Studies Including Therapeutics (ESCISIT). *Ann Rheum Dis*. 2007 Mar;66(3):377-88.
- Goerres GW, Frey D, Hany TF, Seifert B, **Häuselmann HJ**, Studer A, Hauser D, Zilic N, Michel BA, Hans D, Uebelhart D. Digital X-ray radiogrammetry better identifies osteoarthritis patients with a low bone mineral density than quantitative ultrasound. *Eur Radiol*. 2007 Apr;17(4):965-74.
- Krieg MA, Cornuz J, Ruffieux C, Van Melle G, Büche D, Dambacher MA, Hans D, Hartl F, **Häuselmann HJ**, Kraenzlin M, Lippuner K, Neff M, Pancaldi P, Rizzoli R, Tanzi F, Theiler R, Tyndall A, Wimpfheimer C, Burckhardt P. Prediction of hip fracture risk by quantitative ultrasound in more than 7000 Swiss women > or =70 years of age: comparison of three technologically different bone ultrasound devices in the SEMOF study. *J Bone Miner Res*. 2006 Sep;21(9):1457-63.
- Stoddart MJ, Ettinger L, **Häuselmann HJ**. Enhanced matrix synthesis in de novo, scaffold free cartilage-like tissue subjected to compression and shear. *Biotechnol Bioeng*. 2006 Dec 20;95(6):1043-51.
- Stoddart MJ, Ettinger L, **Häuselmann HJ**. Generation of a scaffold free cartilage-like implant from a small amount of starting material. *J Cell Mol Med*. 2006 Apr-Jun;10(2):480-92.
- Krieg MA, Cornuz J, Ruffieux C, Van Melle G, Büche D, Dambacher MA, Hans D, Hartl F, **Häuselmann HJ**, Kraenzlin M, Lippuner K, Neff M, Pancaldi P, Rizzoli R, Tanzi F, Theiler R, Tyndall A, Wimpfheimer C, Burckhardt P. Prediction of hip fracture risk by quantitative ultrasound in more than 7000 Swiss women > or =70 years of age: comparison of three technologically different bone ultrasound devices in the SEMOF study. *J Bone Miner Res*. 2006 Sep;21(9):1457-63.

Jubel A, Fischer J, Andermahr J, Isenberg J, Schiffer G, Stoddart M, Rehm KE, **Häuselmann HJ**. Implantation of matrix-free cartilage transplants in standardized defects in sheep knee joints. Orthopäde 2006;35:1246-57.

Schwenkglenks M, Lippuner K, **Häuselmann HJ**, Szucs TD. A model of osteoporosis impact in Switzerland 2000-2020. Osteoporos Int. 2005 Jun;16(6):659-71.

Goerres GW, **Häuselmann HJ**, Seifert B, Michel BA, Uebelhart D. Patients with knee osteoarthritis have lower total hip bone mineral density in the symptomatic leg than in the contralateral hip. J Clin Densitom. 2005 Winter;8(4):484-7.

Cornuz J, Krieg MA, Sandini L, Ruffieux C, Van Melle G, Burckhardt P, Büche D, Dambacher M, Hartl F, **Häuselmann H**, Lippuner K, Neff M, Pancaldi P, Rizzoli R, Tanzi F, Theiler R, Tyndall A, Wimpfheimer C; SEMOF research group. Factors associated with the use of hormone replacement therapy among older women. Age Ageing. 2003 Nov;32(6):675-8.

Krieg MA, Cornuz J, Ruffieux C, Sandini L, Büche D, Dambacher MA, Hartl F, **Häuselmann HJ**, Kraenzlin M, Lippuner K, Neff M, Pancaldi P, Rizzoli R, Tanzi F, Theiler R, Tyndall A, Wimpfheimer K, Burckhardt P. Comparison of three bone ultrasounds for the discrimination of subjects with and without osteoporotic fractures among 7562 elderly women. J Bone Miner Res. 2003 Jul;18(7):1261-6.

Krieg MA, Cornuz J, Hartl F, Kraenzlin M, Tyndall A, **Häuselmann HJ**, Lippuner K, Rizzoli R, Büche D, Theiler R, Dambacher MA, Neff M, Pancaldi P, Tanzi F, Wimpfheimer K, Burckhardt P. Quality controls for two heel bone ultrasounds used in the Swiss Evaluation of the Methods of Measurement of Osteoporotic Fracture Risk Study. J Clin Densitom. 2002;5(4):335-41.

E.B. Hunziker, T.M. Quinn, **H.J. Häuselmann**. Quantitative structural Organization of normal adult human articular cartilage. Osteoarthritis and Cartilage (2002) 10, 564-572.

H. Tenor, E. Hedbom, **H.J. Häuselmann**, Ch. Schudt, A. Hatzelmann. Phosphodiesterase isoenzyme families in human osteoarthritis chondrocytes – functional importance of phosphodiesterase 4. British Journal of Pharmacology, 2002, 135:609-618.

E. Hedbom, L. Ettinger, **H.J. Häuselmann**. Culture of articular chondrocytes in alginate gel – a means to generate cartilage-like implantable tissue. Osteoarthritis and Cartilage, 2001, 9 Suppl A:S123-130

T.von Briel, T.A. Gerber, S. Zinnenlauf, **H.J. Häuselmann**. Systemische Mastozytose – Eine seltene Ursache der Osteoporose. Schweiz. Med Forum, 2001, 49:1223-1226

G. Milos, J. Willi, **H.J. Häuselmann**. Bilateral osteonecrosis of the talus and "standing obsession" in a patient with anorexia nervosa. Int. Journal of Eating Disorders, 2001, 29:363-369

J. Fransen, **H.J. Häuselmann**, B.A. Michel, G Stucki. Responsiveness of the self-assessed Rheumatoid Arthritis Disease Activity Index (RADAI) to a flare of disease activity. Arthritis & Rheum, 2001, 44:53-60

M. Neidhart, U. Müller-Ladner, W. Frey, A.K. Bosserhoff, P.C. Colombani, P. Frey-Rindova, K.M. Hummel, R.E. Gay, **H.J. Häuselmann**, S. Gay. Increased serum levels on non-collagenous matrix proteins (cartilage oligomeric matrix protein and melanoma inhibitory activity) in marathon runners. Osteoarthritis and Cartilage, 2000, 8:222-229

Pendleton, N. Arden, M. Dougados, M. Doherty, B. Bannwarth, J.W.J. Bijlsma, F. Cluzeau, C. Cooper, P.A. Dieppe, K-P. Günther, **H.J. Häuselmann**, G. Herrero-Baumont, P.M. Kaklamani, B. Leeb, M. Lequesne, S. Lohmander, B. Mazières, E-M. Mola, K. Pavelka, U. Serni, B. Swoboda, A.A. Verbruggen, G. Weseloh, I. Zimmermann-Gorska. EULAR recommendations for the management of knee osteoarthritis: report of a task force of the Standing Committee for International Clinical Studies Including Therapeutic Trials (ESCISIT). Ann Rheum Dis 2000;59:936-944.

R. Rizzoli et **H.J. Häuselmann**. Médecine basée sur les preuves et traitement de L'osteoporose. Med. Hyg., 2000, 58:19-20

Tognella C, Marti U, Peter HJ, Wagner HE, Glaser C, Kampf J, Simon F, **Hauselmann HJ**, Paulsson M, Ruchti C, Burgi-Saville ME, Burgi U, Gerber H. Follicle-forming cat thyroid cell lines synthesizing extracellular matrix and basal membrane components: a new tool for the study of thyroïdal morphogenesis. J Endocrinol 1999 Dec;163(3):505-14

Marti C, Neidhart M, Gerber T, Michel BA, **Hauselmann HJ**. Cartilage oligomeric matrix protein (COMP): the role of a non-collagen cartilage matrix protein as a marker of disease activity and joint destruction in patients with rheumatoid arthritis and osteoarthritis. Z Rheumatol. 1999 Apr;58(2):79-87

Laib, **H.J. Häuselmann**, P. Rüegsegger. In Vivo high resolution 3D-QCT of the human forearm. Technol. Health Care, 1998, 6:5-6 329-337

H.J. Häuselmann, M. Caravatti, B. Seifert, K. Wang, P. Bruckner, G. Stucki, B.A. Michel. Treatment of rheumatoid arthritis with two oral forms of collagen type II or methotrexate: a double blind, randomized trial. Br. J. Rheumatol., 1998, 37:1110-1117

K. Hummel, M. Neidhart, N. Hauser, V. Vilim, R.E. Gay, S. Gay, **H.J. Häuselmann**. Synovial fibroblasts contribute to cartilage oligomeric matrix protein (COMP) detected in synovial fluid, Br. J. Rheumatol., 1998, 37:721-728

H.J. Häuselmann, M. Stefanovich-Racic, B.A. Michel and C.H. Evans. Differences in nitric oxide production by superficial and deep human articular chondrocytes: Implication for proteoglycan turnover in inflammatory joint diseases. J. Immunol., 1998, 160: 1444-1448

- A. Laib, T. Hildebrand, **H.J. Häuselmann**, P. Rüegsegger. Ridge number density: a new parameter for in vivo bone structure analysis. *Bone*, 1997, 21:541-546
- M. Neidhart, N. Hauser, M. Paulsson, P.E. DiCesare, B.A. Michel, **H.J. Häuselmann**. Small Fragments of cartilage oligomeric matrix protein (COMP) in synovial fluid and serum as markers for cartilage degradation. *Br. J. Rheumatol.*, 1997, 36:1-10
- P. Müller, T. Hildbrand, **H.J. Häuselmann** and P. Rüegsegger. In vivo reproducibility of three-dimensional structural properties of non-invasive bone biopsies using 3D-pQCT. *J. Bone Miner. Res.*, 1996, 11:1745-50
- H.J. Häuselmann**, K. Masuda, E.B. Hunziker, M. Neidhart, S.S. Mok, B.A. Michel and E.J-M.A. Thonar. Adult human articular chondrocytes cultured in alginate gel form a matrix similar to native human articular cartilage. *Am. J. Physiol., (Cell Physiol. 40)*, 1996, 271:742-52
- H.J. Häuselmann**, J. Flechtenmacher, L. Michal, M. Shinmei, K.E. Kuettner, and M.B. Aydelotte. The superficial layer of human articular cartilage is more susceptible to Interleukin-1-induced damage than the deeper layers. *Arthritis Rheum.*, 1996, 39:478-88
- S.S. Mok, K. Masuda, **H.J. Häuselmann**, M.B. Aydelotte, and E.J-M.A. Thonar. Aggrecan synthesized by mature bovine chondrocytes suspended in alginate: identification of two distinct metabolic matrix pools. *J. Biol. Chem.*, 1994, 269:33021-27
- H.J. Häuselmann**, L. Oppiger, B.A. Michel, M. Stefanovic-Racic, C.H. Evans. Nitric oxide and proteoglycan biosynthesis by human articular chondrocytes in alginate culture. *FEBS lett*, 1994, 352:361-64
- H.J. Häuselmann**, R.J. Fernandes, S.S. Mok, T.M. Schmid, J.A. Block, M.B. Aydelotte. Phenotypic stability of bovine articular chondrocytes after long-term culture in alginate beads. *J. Cell Science*, 1994, 107:17-27
- H.J. Häuselmann**, M.B. Aydelotte, B.L. Schumacher, K.E. Kuettner, S.H. Gitelis, and E.J.-M.A. Thonar. Synthesis and turnover of proteoglycans by human and bovine articular chondrocytes cultured in alginate beads. *Matrix, (aktuell Matrix Biology)* 1992, 12:116-29
- A.J. Veraguth, **H.J. Häuselmann**, T. Hunziker, N.J. Gerber. Vaskulitische Hautläsionen bedingt durch nicht-steroidale Antiphlogistika. *Schweiz. Med. Wschr.*, 1992, 122:923-29
- P. Hänni, **H.J. Häuselmann**. Die Lyme-Krankheit aus der Sicht des Neurologen. *Schweiz. Med. Wschr.*, 1987, 117:901-15
- ## Reviews
- H.J. Häuselmann**, Rizzoli R. A comprehensive review of treatments for postmenopausal osteoporosis. *Osteoporos Int.* 2003 Jan;14(1):2-12. Review.
- A.Jubel, J. Andermahr, J. Koebke, **H.J. Häuselmann**, K.E. Rehm. Die Therapie von Gelenkknorpeldefekten. *DMW*, 2002; 127:1904-1908. H.J. Häuselmann und E. Hedbom. Von der Pathogenese der Arthrose zu therapeutischen Empfehlungen und Knorpelersatz. *Schweiz Med Forum*, 2002, 25:610-615.
- E. Hedbom and **H.J. Häuselmann**. Molecular aspects of pathogenesis in osteoarthritis: The role of inflammation. *CLMS, Cell. Mol. Life Sci.* 2002, 59:45-53.
- H.J. Häuselmann**, E. Kramer, B.A. Michel. Physikalische Therapie in der Prävention und Behandlung der Osteoporose. *Therap Umschau*, 1998, 55 (11):724-730.
- H.J. Häuselmann**. Nutripharmaceuticals for OA. In *Baillères Clinical Rheumatology*, 2001, 15:595-607.
- H.J. Häuselmann**, K. Renfer, B. Seifert, P. Brühlmann, J. Seitz, Ch. Ruetschi and B.A. Michel. Skin bioengineering methods in the monitoring of scleroderma. *Skin Bioengineering*, 1998, 26:134-144.
- H.J. Häuselmann**, T. Flura, , C. Marti, N. Hauser und E. Hedbom. Aktuelle Forschung Schweiz: Von der Chondrozytenkultur zum Gelenkknorpelersatz: Entwicklung von de novo Knorpel in vitro. *Schweiz. Med. Wschrift*, 1998;128:824-832.
- H.J. Häuselmann**. Healing enhancement with chondrocyte transplantation and other means. *Sports Medicine and Arthroscopic Review*, 1998, 5:50-59.
- H.J. Häuselmann**. Mechanisms of cartilage destruction and novel non-surgical therapeutic strategies to retard cartilage injury in rheumatoid arthritis. *Curr. Opin. Rheumatol.*, 1997, 9:241-250.
- H.J. Häuselmann**, L. Muff, G. Stucki. Gonarthrose: Beurteilung und konservative Therapie. *Therapeutische Umschau*, 1996, 53:732-37.
- H.J. Häuselmann**. Neue Erkenntnisse in der Arthroseentstehung. *Therapeutische Umschau*, 1996, 53:727-31.
- H.J. Häuselmann**. Osteoporosis in Men., *EULAR 95, (Suppl. 2)*, 1995, 24:105-7.

K.E. Kuettner and **H.J. Häuselmann**. Pathogenese der Arthrose. Z. Rheumatol., 1994, 53:189-190.H.J. Häuselmann. Chondroprotektiva, welches sind die Fakten? Z. Rheumatol., 1994, 53:195-97.

Book chapters and other contributions

H.J. Häuselmann. Buchkapitel in: Forster Adrian. RA and osteoporosis 2011

M. Felder, C. Merlin, H.J. Häuselmann. Therapie. Die gebräuchlichen Therapeutika in Prävention und Behandlung der Osteoporose. In: Osteoporose. C. Merlin, Aesopus Verlag Linkenheim-Hochstetten,pp 110-118, 2008

I. Häuselmann, M. Arnet, T.A. Gerber, **H.J. Häuselmann**. Körperliche Aktivität und Osteoporose. Evidenzbasierte Physiotherapie für Patientinnen mit etablierter Osteoporose. In: Evidence basierte Physiotherapie der Osteoporose. Körperliche Aktivität in Prävention und Therapie, Evidenzbasierter Leitfaden für Klinik und Praxis. G. Samitz und G. Mensink (eds). Hans Marseille Verlag München, pp183-194, 2002

H.J. Häuselmann, K. Huber, B. Seifert, B.A. Michel. Hardware and measuring principles: the Dermagraph® in patients with Systemic Sclerosis and in Healthy Volunteers. Bioengineering of the Skin, Skin Biomechanics. In: Bioengineering of the Skin, Skin Biomechanics. P. Elsner, E. Berardesca, K-P.Wilhelm, H.I. Maibach (eds), CRC press Boca Raton, 2001

H.J. Häuselmann and Erik Hedbom. In-vitro models of cartilage metabolism. In: Dynamics of bone and cartilage metabolism. Markus J. Seibel, Simon P. Robins, John P. Bilezikian, (eds), San Diego, Academic Press, pp.325-338.1999

G. Stucki und **H.J. Häuselmann**. Zugang zu rheumatischen Erkrankungen, In: Thiemes Innere Medizin, TIM, Stuttgart, Thieme Verlag, pp.1611-1621.1999

H. J. Häuselmann, G. Stucki. Degenerative Gelenkerkrankungen, In: Thiemes Innere Medizin:TIM, Stuttgart, Thieme Verlag, pp.1668-1678.1999

C. Meier und **H.J. Häuselmann**. Meningoradiculoneuritis, a frequent neurological manifestation of Lyme Borreliosis. In: J.-Ph. Assal and C. Liniger, eds. peripheral neuropathies 1988. What is significantly new? FIDIA Research Series, Vol 21, Padova, Livinia Press, Springer Verlag, pp. 493-502. 1989

Laienpresse

H.J. Häuselmann. Osteoporose – Legen Sie die Hände nicht in den Schoss! Mittelpunkt, Info Magazin Klinik Hirslanden und Klinik Im Park, Zürich 2012

H.J. Häuselmann. Neue Therapieempfehlungen bei Gonarthrose. Hospitalis, 2003,10:341-343.

H.J. Häuselmann. Empfehlungen der Europäischen Liga im Kampf gegen der Rheumatismus (EULAR).Therapie der Kniegelenkarthrose. Medical Journal 2002,8:16-17.

R. Müller und **H.J. Häuselmann**. Die Innenarchitektur der Knochen. Das Bild des Monats. Horizonte. Dezember 2002.

H.J. Häuselmann, M.Stoddart, L.Ettinger, S.Mazza, E.Hedbom. Von der Chondrozytenkultur zur Knorpelimplantation. Aktuelle Medizin, 12, 2000.

H.J. Häuselmann. Hoffnung für die Leidenden. Therapeutische Forschritte in der Rheumatologie unter der Lupe. Medizinzeitung, Magazin 1999, 1(7):6-12.

H.J. Häuselmann. Pathogenese, Diagnose und konservative Therapie der Arthrose. Speziell 1999,3:1-5.

H.J. Häuselmann. Beurteilung bestehender Therapiekonzepte auf dem Gebiet der Osteoporose nach definierten Qualitäts-Kriterien im Rahmen von Evidenz basierter Medizin. Hospitalis, 1999, 4:99-108.

Patente

Häuselmann H.J. (Inhaber), Hedbom E, Stoddart M, Muser M, Niederer P; Method and apparatus for mechanical stimulation of tissue in vitro. Application number PCT/IB03/02153.

Mai 2003

Häuselmann H.J. (Inhaber), Hedbom E, Stoddart M; Method for the in vitro production of cartilage-like tissue. Application number PCT/IB03/08523.

Mai 2003