

LISTE DES PUBLICATIONS:

1. Ostermann S, Morel P, Chale JJ et al. Randomized controlled trial of enhanced recovery program dedicated to elderly patients after colorectal surgery. *Dis Colon Rectum*. **2019** (in press)
2. Venara A, Alfonsi P, Cotte E, Loriau J, Hamel JF, Slim K and the Francophone Group for Enhanced Recovery After Surgery (GRACE). Postoperative ileus concealing intra-abdominal complications in enhanced recovery programs-a retrospective analysis of the GRACE database. *Int J Colorectal Dis*. **2019** Jan;34(1):71-83.
3. Villatte, Mathonnet M, Villeminot J, Savary MV, Theissen A, Ostermann S, Raynaud-Simon A, Slim K. Enhanced recovery programs for hip arthroplasty in the elderly: what usefulness? *Revue de Geriatrie* **2018** (in press)
4. Veziat J, Leonard D, Pereira B, Slim K and the French speaking Group for Enhanced Recovery after Surgery (GRACE). How does the application of surgical components in enhanced recovery programs for colorectal surgery change over time? *Surgeon*. **2018**, Dec; 16(6) :321-324.
5. Launay-Savary MV, Mathonnet M, Theissen A, Ostermann S, Raynaud-Simon A, Slim K. Are enhanced recovery programs in colorectal surgery feasible and useful in the elderly? A systematic review of the literature. *J Visc Surg*. **2017** Feb;154(1):29-35.
6. Slim K, Delaunay L, Joris J, Leonard D, Raspado O, Chambrier C, Ostermann S. How to implement an enhanced recovery programme? Proposals from the Francophone Group for enhanced recovery after surgery (GRACE) *J Visc Surg*. **2016** Dec;153(6S):S45-S49
7. Buchs NC, Ostermann S, Hauser J, et al. Intestinal obstruction following use of laparoscopic barbed suture: a new complication with new material? *Minim Invasive Ther Allied Technol*. **2012** Sep; 21(5): 369-71.
8. Ostermann S, Morel Ph. Fast-Track Perioperative Care after Colorectal Surgery in Senior Patients, *Swiss Knife* **2012**; 4:14-16.
9. Bucher P, Pugin F, Buchs NC, Ostermann S, Morel P. Randomized clinical trial of laparoendoscopic single-site versus conventional laparoscopic cholecystectomy. *Br J Surg* **2011**, 98, 12, 1695–1702.
10. Bucher P, Ostermann S, Pugin F, Morel P. Female population perception of conventional laparoscopy, transumbilical LESS, and transvaginal NOTES for cholecystectomy. *Surg Endosc*. **2011**; 25 (7): 2308-15.
11. Bucher P, Buchs N, Pugin F, Ostermann S, Morel P. Single Port Access Laparoscopic Cholecystectomy (with Video): Reply. *World J Surg*. **2011**; 35(5): 1150-1.
12. Ostermann S, Bucher P, Morel P. Que savons-nous de la chirurgie colorectale des seniors en 2010? *J. Visc Surg* **2010**, Volume 147, 4, (S1) : 1-45.
13. Bucher P, Pugin F, Ostermann S, Morel P. Innovations chirurgicales et point de vue du patient: vers une chirurgie moins traumatisante et une réhabilitation accélérée. *Rev Med Suisse*, **2010**; 6 (254): 1292-7.
14. Bucher P, Pugin F, Ostermann S, Ris F, Chilcott M, Morel P. Population perception of surgical safety and body image trauma: a plea for scarless surgery?" *Surg Endosc*, **2010** Feb;25(2):408-15.
15. Buchs NC, Bucher P, Gervaz P, Ostermann S, Pugin F, Morel P. Segmental duodenectomy for gastrointestinal stromal tumor of the duodenum. *World J Gastroenterol*. **2010** Jun 14; 16 (22): 2788-92.
16. Bucher P, Ostermann S, Pugin F, Morel P. E-NOTES appendectomy versus transvaginal appendectomy: similar cosmetic results but shorter complete recovery? *Surg Endosc*, **2009**; 23(4):916-7.
17. Ostermann S, Bucher P, Gervaz P, Morel P. Really so far from fast-track colorectal surgery in senior patients? *Rev Med Suisse*, **2009**; 26; 5 (214): 1676-9. (IF: 0.12)

18. Shnaper S, Desbaillet I, Brown D, Murat A, Migliavacca E, Schluëpp M, Ostermann S, Hamou MF, Stupp R, de Tribolet N, Hegi ME, Elevated levels of GDF-15 in the cerebrospinal fluid of patients are associated with glioblastoma and worse outcome, *Int J Cancer*, **2009**; Dec 1;125(11):2624-30.
19. Bucher P, Pugin F, Buchs N, Ostermann S, Charara F, Morel P. Single Port Access Laparoscopic Cholecystectomy (with video). *World J Surg*, **2009**; 33(5):1015-9.
20. Monnard V, Sun A, Epelbaum R, Poortmans P, Miller RC, Verschueren T, Scandolaro L, Villa S, Majno SB, Ostermann S, Ozsahin M, Mirimanoff RO. Primary spinal epidural lymphoma: Patients' profile, outcome, and prognostic factors: A multicenter rare cancer network study. *Int J Radiat Oncol Biol Phys*, **2006**; 65(3): 817-23.
21. Ostermann S, Salvi R, Lang-Muritano M, Voirol MJ, Puttinger R, Gaillard RC, Schoenle E, Pralong FP. Importance of Genetic Diagnosis of DAX-1 Deficiency: Example from a Large, Multigenerational Family. *Horm Res*, **2006**; 65(4): 163-168.
22. Leimgruber A, Ostermann S, Yeon EJ, Buff E, Maeder PP, Stupp R, Meuli RA. Perfusion and diffusion MRI of glioblastoma progression in a four-year prospective temozolomide clinical trial. *Int J Radiat Oncol Biol Phys*, **2006**; 64(3): 869-75.
23. Wasserfallen JB, Ostermann S, Leyvraz S, Stupp R. Cost of Temozolomide therapy and global care for recurrent malignant gliomas followed until death. *Neuro-Oncol*, **2005**; 7(2):189-95.
24. Wasserfallen JB, Ostermann S, Pica A, Mirimanoff R.O, Leyvraz S, Villemure J.G, Stupp R. Can we afford to add chemotherapy to radiotherapy for glioblastoma multiforme? Cost identification analysis of concomitant and adjuvant treatment with Temozolomide until patient death. *Cancer*, **2004**; 101(9): 2098-105.
25. Ostermann S, Csajka C, Buclin T, Leyvraz S, Lejeune F, Decosterd L.A, and Stupp R. Plasma and cerebrospinal fluid population pharmacokinetics of Temozolomide in malignant glioma patients. *Clin Cancer Res*, **2004**; 10: 3728-36.
26. Hegi ME, Diserens AC, Godard S, Dietrich P.Y, Regli L, Ostermann S, Otten P, Van Melle G, de Tribolet N, Stupp R. Clinical Trial Substantiates the Predictive Value of MGMT-Methylation in Glioblastoma Patients Treated with Temozolomide. *Clin Cancer Res*, **2004**; 10: 1871-74.
27. Stupp R, Ostermann S, Dietrich PY, et al. Correspondence. Treatment of Newly Diagnosed Glioblastoma Multiforme. *J Clin Oncol*, **2002**; 20, 3179-80 (IF: 20.98)
28. Stupp R, Dietrich PY, Ostermann S, et al. Promising survival for patients with newly diagnosed glioblastoma multiforme treated with concomitant radiation plus temozolomide followed by adjuvant temozolomide. *J Clin Oncol*, **2002**; 20, 1375-82.

Genève, le 24 avril 2019

Dr Sandrine Ostermann

Chirurgienne Spécialiste FMH