Publikationsliste / Klinische & Laborforschung übrige Themen

13
Linear Mixed Effects Analysis Reveals the Significant Impact of Preoperative Diet Success on Postoperative Weight Loss in Gastric Bypass Surgery.
Kraus R, Stekhoven DJ, Leupold U, Marti WR.
Obes Surg. 2018 Aug;28(8):2473-2480.

PMID: 29623589

12
Implementation of an IT-guided checklist to improve the quality of medication history records at hospital admission.
Huber T, Brinkmann F, Lim S, Schröder C, Stekhoven DJ, Marti WR, Egger RR.
Int J Clin Pharm. 2017 Dec;39(6):1312-1319.

PMID: 29082460 **Free PMC Article**

11
Residents' performance in open versus laparoscopic bench-model cholecystectomy in a hands-on surgical course.
Nebiker CA, Mechera R, Rosenthal R, Thommen S, Marti WR, von Holzen U, Oertli D, Vogelbach P.
Int J Surg. 2015 Jul;19:15-21.

PMID: 25936827 **Free Article**

10
[Fecal incontinence].
Hamel CT, Marti WR.
Ther Umsch. 2010 Jan;67(1):39-43.

PMID: 20052654

9
[The patient with a stoma].
Marti WR, Arpagaus G, Hamel ChT.
Ther Umsch. 2007 Sep;64(9):545-8. Review. German.

PMID: 18075147

8
Haemorrhagic shock caused by splenic rupture following routine colonoscopy.
Pfefferkorn U, Hamel CT, Viehl CT, Marti WR, Oertli D.
Int J Colorectal Dis. 2007 May;22(5):559-60. Epub 2005 Apr 14. No abstract available.

PMID: 15830203

7

Free PMC Article
Simplified placement and management of cutting setons in the treatment of transsphincteric anal fistula: technical note.
Hamel CT, Marti WR, Oertli D.
Int J Colorectal Dis. 2004 Jul;19(4):354-6; discussion 357-8. Epub 2004 Feb 4.

PMID: 14762677

6
[What is your diagnosis? Superior mesenteric artery (compression) syndrome].
Ritz MA, Degen L, Marti WR, Wiesner W.
Praxis (Bern 1994). 2003 Mar 26;92(13):580-4. German. No abstract available.

PMID: 12705180

5
Balancing on the edge.
Laifer G, Marti W, Wiesner W, Fluckiger U.
Lancet. 2002 Nov 30;360(9347):1746. No abstract available.

PMID: 12480429

4

Free PMC Article
[Cholecystectomy today. A prospective study].
Marti W, Herzog U, Kocher T, Schuppisser JP, Ackermann C, Tondelli P.
Schweiz Med Wochenschr. 1994 May 7;124(18):763-7. German.

PMID: 8202674

3

Glutamine peptide-supplemented long-term total parenteral nutrition: effects on intracellular and extracellular amino acid patterns, nitrogen economy, and tissue morphology in growing rats.
Babst R, Hörig H, Stehle P, Brand O, Filgueira L, Marti W, Fischer M, Oberholzer M, Gudat F, Fürst P, et al.
JPEN J Parenter Enteral Nutr. 1993 Nov-Dec;17(6):566-74. Erratum in: JPEN J Parenter Enteral Nutr 1994 Mar-Apr;18(2):197.

PMID: 8003104

2

[Fibroleiomyoma of the end phalanx of the left ring finger].
Marti WR, Otto RC.
Rofo. 1989 Aug;151(2):231-2. German. No abstract available.

PMID: 2548253

1

[The muscles and blood supply of the stomach].
Liebermann-Meffert D, Neff U, Marti W, Vosmeer S, Allgöwer M.
Schweiz Med Wochenschr. 1984 May 19;114(20):711-3. German.

PMID:

6740289

Publikationsliste / onkologische Chirurgie, Laborforschung

17
Intranodal immunization with a vaccinia virus encoding multiple antigenic epitopes and costimulatory molecules in metastatic melanoma.
Adamina M, Rosenthal R, Weber WP, Frey DM, Viehl CT, Bolli M, Huegli RW, Jacob AL, Heberer M, Oertli D, **Marti W**, Spagnoli GC, Zajac P.
Mol Ther. 2010 Mar;18(3):651-9.

PMID: 19935776 **Free PMC Article**

16
Nonreplicating recombinant vaccinia virus expressing CD40 ligand enhances APC capacity to stimulate specific CD4+ and CD8+ T cell responses.
Feder-Mengus C, Schultz-Thater E, Oertli D, Marti WR, Heberer M, Spagnoli GC, Zajac P.
Hum Gene Ther. 2005 Mar;16(3):348-60.

PMID: 15812230

15
Selective responsiveness to common gamma chain cytokines in peripheral blood-derived cytotoxic T lymphocytes induced by Melan-A/MART-1(27-35)targeted active specific immunotherapy.
von Holzen U, Adamina M, Bolli M, Weber WP, Zajac P, Groeper C, Reschner A, Feder C, Schumacher R, **Marti W,** Oertli D, Heberer M, Spagnoli GC.
Int J Cancer. 2005 Jun 10;115(2):248-55.

PMID: 15688403

14
Encapsulation into sterically stabilised liposomes enhances the immunogenicity of melanoma-associated Melan-A/MART-1 epitopes.
Adamina M, Bolli M, Albo F, Cavazza A, Zajac P, Padovan E, Schumacher R, Reschner A, Feder C, Marti WR, Oertli D, Heberer M, Spagnoli GC.
Br J Cancer. 2004 Jan 12;90(1):263-9.

PMID:14710238

13
Phase I/II clinical trial of a nonreplicative vaccinia virus expressing multiple HLA-A0201-restricted tumor-associated epitopes and costimulatory molecules in metastatic melanoma patients.
Zajac P, Oertli D, **Marti W,** Adamina M, Bolli M, Guller U, Noppen C, Padovan E, Schultz-Thater E, Heberer M, Spagnoli G.
Hum Gene Ther. 2003 Nov 1;14(16):1497-510.

PMID: 14577912

12
[Recombinant vaccinia viruses as efficient vectors of biologically active, human B7 costimulation molecules].
Marti WR, Schütz A, Oertli D, Zajac P, Harder F, Heberer M.
Langenbecks Arch Chir Suppl Kongressbd. 1998;115(Suppl I):131-6. German.

PMID: 14518227

11
[B7 costimulation molecules improve induction of tumor specific cytotoxic T-cells against MART-1(27-35)].

Schütz A, Marti WR, Zajac P, Oertli D, Harder F, Heberer M.
Langenbecks Arch Chir Suppl Kongressbd. 1998;115(Suppl I):125-9. German.

PMID: 14518226

10
Disseminated single tumor cells as detected by real-time quantitative polymerase chain reaction represent a prognostic factor in patients undergoing surgery for colorectal cancer.
Guller U, Zajac P, Schnider A, Bösch B, Vorburger S, Zuber M, Spagnoli GC, Oertli D, Maurer R, Metzger U, Harder F, Heberer M, Marti WR.
Ann Surg. 2002 Dec;236(6):768-75; discussion 775-6.

PMID: 12454515

9

Free PMC Article
Cytotoxic T-cell induction in metastatic melanoma patients undergoing recombinant vaccinia virus-based immuno-gene therapy.
Spagnoli GC, Zajac P, Marti WR, Oertli D, Padovan E, Noppen C, Kocher T, Adamina M, Heberer M.
Recent Results Cancer Res. 2002;160:195-201.

PMID: 12079214

8
Rapid induction of specific cytotoxic T lymphocytes against melanoma-associated antigens by a recombinant vaccinia virus vector expressing multiple immunodominant epitopes and costimulatory molecules in vivo.
Oertli D, Marti WR, Zajac P, Noppen C, Kocher T, Padovan E, Adamina M, Schumacher R, Harder F, Heberer M, Spagnoli GC.
Hum Gene Ther. 2002 Mar 1;13(4):569-75.

PMID: 11874634

7
Immunogenicity of nonreplicating recombinant vaccinia expressing HLA-A201 targeted or complete MART-1/Melan-A antigen.
Schütz A, Oertli D, Marti WR, Noppen C, Padovan E, Spagnoli GC, Heberer M, Zajac P.
Cancer Gene Ther. 2001 Sep;8(9):655-61.

PMID: 11593334

6
Enhanced generation of cytotoxic T lymphocytes using recombinant vaccinia virus expressing human tumor-associated antigens and B7 costimulatory molecules.
Zajac P, Schütz A, Oertli D, Noppen C, Schaefer C, Heberer M, Spagnoli GC, Marti WR.
Cancer Res. 1998 Oct 15;58(20):4567-71.

PMID: 9788602

5
Artificial antigen-presenting cells engineered by recombinant vaccinia viruses expressing antigen, MHC class II, and costimulatory molecules elicit proliferation of CD4+ lymphocytes in vitro.
Oertli D, Marti WR, Norton JA, Tsung K.
Clin Exp Immunol. 1997 Oct;110(1):144-9. PMID: 9353162

4

Free PMC Article
Nonreplicating recombinant vaccinia virus encoding human B-7 molecules elicits effective costimulation of naive and memory CD4+ T lymphocytes in vitro.
Marti WR, Zajac P, Spagnoli G, Heberer M, Oertli D.
Cell Immunol. 1997 Aug 1;179(2):146-52.

PMID: 9268498

4
Generation of tumoricidal cytotoxic T lymphocytes from healthy donors after in vitro stimulation with a replication-incompetent vaccinia virus encoding MART-1/Melan-A 27-35 epitope.
Zajac P, Oertli D, Spagnoli GC, Noppen C, Schaefer C, Heberer M, Marti WR.
Int J Cancer. 1997 May 2;71(3):491-6.

PMID: 9139889

3

Free Article
Induction of antigen-presenting capacity in tumor cells upon infection with non-replicating recombinant vaccinia virus encoding murine MHC class II and costimulatory molecules.
Marti WR, Oertli D, Meko JB, Norton JA, Tsung K.
J Immunol Methods. 1997 Jan 15;200(1-2):191-8.

PMID: 9005958

2
Non-replicating recombinant vaccinia virus encoding murine B-7 molecules elicits effective costimulation of naive CD4+ splenocytes in vitro.
Oertli D, Marti WR, Norton JA, Tsung K.
J Gen Virol. 1996 Dec;77 (Pt 12):3121-5.

PMID: 9000106

1

Gene expression and cytopathic effect of vaccinia virus inactivated by psoralen and long-wave UV light.
Tsung K, Yim JH, Marti W, Buller RM, Norton JA.
J Virol. 1996 Jan;70(1):165-71.

PMID: 8523521

Publikationsliste / Wundinfektionsforschung

22
Teaching in the operating room: A risk for surgical site infections?
Mujagic E, Hoffmann H, Soysal S, Delko T, Mechera R, Coslovsky M, Zeindler J, Salm L, Marti WR, Weber WP.
Am J Surg. 2019 Dec 31. S0002-9610(19)31584-3 PMID:31910989

21
The impact of surgical site infections on hospital contribution margin-a European prospective observational cohort study.
von Strauss M, Marti WR, Mujagic E, Coslovsky M, Diernberger K, Hall P, Zeindler J, Salm LA, Soysal SD, Mechera R, von Holzen U, Weber WP.
Infect Control Hosp Epidemiol. 2019 Dec;40(12):1374-1379.

PMID: 31619300

20
Antimicrobial Prophylaxis Redosing Reduces Surgical Site Infection Risk in Prolonged Duration Surgery Irrespective of Its Timing.
Bertschi D, Weber WP, Zeindler J, Stekhoven D, Mechera R, Salm L, Kralijevic M, Soysal SD, von Strauss M, Mujagic E, Marti WR.
World J Surg. 2019 Oct;43(10):2420-2425.

PMID: 31292675

19
Associations of Hospital Length of Stay with Surgical Site Infections.
Mujagic E, Marti WR, Coslovsky M, Soysal SD, Mechera R, von Strauss M, Zeindler J, Saxer F, Mueller A, Fux CA, Kindler C, Gurke L, Weber WP.
World J Surg. 2018 Dec;42(12):3888-3896.
PMID: 29978247

18
The association of surgical drains with surgical site infections - A prospective observational study.
Mujagic E, Zeindler J, Coslovsky M, Hoffmann H, Soysal SD, Mechera R, von Strauss M, Delko T, Saxer F, Glaab R, Kraus R, Mueller A, Curti G, Gurke L, Jakob M, Marti WR, Weber WP.
Am J Surg. 2019 Jan;217(1):17-23.

PMID: 29935905

17
The role of preoperative blood parameters to predict the risk of surgical site infection.
Mujagic E, Marti WR, Coslovsky M, Zeindler J, Staubli S, Marti R, Mechera R, Soysal SD, Gürke L, Weber WP.
Am J Surg. 2018 Apr;215(4):651-657.

PMID: 28982517

16
Timing of surgical antimicrobial prophylaxis: a phase 3 randomised controlled trial.
Weber WP, Mujagic E, Zwahlen M, Bundi M, Hoffmann H, Soysal SD, Kraljević M, Delko T, von Strauss M, Iselin L, Da Silva RXS, Zeindler J, Rosenthal R, Misteli H, Kindler C, Müller P,

Saccilotto R, Lugli AK, Kaufmann M, Gürke L, von Holzen U, Oertli D, Bucheli-Laffer E, Landin J, Widmer AF, Fux CA, Marti WR.
Lancet Infect Dis. 2017 Jun;17(6):605-614. Erratum in: Lancet Infect Dis. 2017 Dec;17 (12):1232.

PMID: 28385346

15
Evaluating the optimal timing of surgical antimicrobial prophylaxis: study protocol for a randomized controlled trial.
Mujagic E, Zwimpfer T, Marti WR, Zwahlen M, Hoffmann H, Kindler C, Fux C, Misteli H, Iselin L, Lugli AK, Nebiker CA, von Holzen U, Vinzens F, von Strauss M, Reck S, Kraljević M, Widmer AF, Oertli D, Rosenthal R, Weber WP.
Trials. 2014 May 24;15:188.

PMID: 24885132 **Free PMC Article**

14
Prevention and control of surgical site infections: review of the Basel Cohort Study.
Junker T, Mujagic E, Hoffmann H, Rosenthal R, Misteli H, Zwahlen M, Oertli D, Tschudin-Sutter S, Widmer AF, Marti WR, Weber WP.
Swiss Med Wkly. 2012 Sep 4;142:w13616.

PMID: 22949137 **Free Article**

13
Successful implementation of a window for routine antimicrobial prophylaxis shorter than that of the World Health Organization standard.
Misteli H, Widmer AF, Weber WP, Bucher E, Dangel M, Reck S, Oertli D, Marti WR, Rosenthal R.
Infect Control Hosp Epidemiol. 2012 Sep;33(9):912-6.

PMID: 22869265

12
Spectrum of pathogens in surgical site infections at a Swiss university hospital.
Misteli H, Widmer AF, Rosenthal R, Oertli D, Marti WR, Weber WP.
Swiss Med Wkly. 2011 Jan 20;140:w13146.

PMID: 21253922 **Free Article**

11
Surveillance of surgical site infections by surgeons: biased underreporting or useful epidemiological data?
Rosenthal R, Weber WP, Marti WR, Misteli H, Reck S, Dangel M, Oertli D, Widmer AF.
J Hosp Infect. 2010 Jul;75(3):178-82. PMID: 20227139

10
The association of preoperative anemia and perioperative allogeneic blood transfusion with the risk of surgical site infection.
Weber WP, Zwahlen M, Reck S, Misteli H, Rosenthal R, Buser AS, Kaufmann M, Oertli D, Widmer AF, Marti WR.
Transfusion. 2009 Sep;49(9):1964-70.. PMID: 19453989

9
Impact of surgical training on incidence of surgical site infection.
Rosenthal R, Weber WP, Zwahlen M, Misteli H, Reck S, Oertli D, Widmer AF, Marti WR.
World J Surg. 2009 Jun;33(6):1165-73.

PMID: 19363694

8

Surgical glove perforation and the risk of surgical site infection.
Misteli H, Weber WP, Reck S, Rosenthal R, Zwahlen M, Fueglistaler P, Bolli MK, Oertli D, Widmer AF, Marti WR.
Arch Surg. 2009 Jun;144(6):553-8; discussion 558.

PMID: 19528389

7
Surgical hand antisepsis with alcohol-based hand rub: comparison of effectiveness after 1.5 and 3 minutes of application.
Weber WP, Reck S, Neff U, Saccilotto R, Dangel M, Rotter ML, Frei R, Oertli D, Marti WR, Widmer AF.
Infect Control Hosp Epidemiol. 2009 May;30(5):420-6.

PMID: 19320574

6
Economic burden of surgical site infections at a European university hospital.
Weber WP, Zwahlen M, Reck S, Feder-Mengus C, Misteli H, Rosenthal R, Brandenberger D, Oertli D, Widmer AF, Marti WR.
Infect Control Hosp Epidemiol. 2008 Jul;29(7):623-9.

PMID: 18564917

5
The timing of surgical antimicrobial prophylaxis.
Weber WP, Marti WR, Zwahlen M, Misteli H, Rosenthal R, Reck S, Fueglistaler P, Bolli M, Trampuz A, Oertli D, Widmer AF.
Ann Surg. 2008 Jun;247(6):918-26..

PMID: 18520217

4

Free Article
[Postoperative wound infection: on disregarded bad luck or urgently required quality control?].
Marti WR, Widmer AF.
Praxis (Bern 1994). 2001 Aug 23;90(34):1413-6. German. No abstract available.

PMID: 11552322

3

Free Article
[Superficial femoral vein as vascular graft in surgical therapy of mycotic aneurysm of the common iliac artery].
Schütz A, Marti WR, Gürke L, Stirnemann P.
Chirurg. 1998 May;69(5):577-80. German.

PMID: 9653571

2
[The Advanced Breast Biopsy Instrumentation (ABBI), a system for stereotactic excision of mammographically suspect nonpalpable findings in the breast].
Oertli D, Zuber M, Müller D, Marti WR, Köchli OR, Torhorst J, Harder F.
Schweiz Med Wochenschr. 1998 May 23;128(21):811-6. German.

PMID: 964274

1
Efficacy of specific aseptic precautions for preventing propofol-related infections: analysis by a quality-assurance programme using the explicit outcome method.
Seeberger MD, Staender S, Oertli D, Kindler CH, Marti W.
J Hosp Infect. 1998 May;39(1):67-70.

PMID: 9617687

Publikationsliste / onkologische Chirurgie, klinische Forschung

17
Quality of Life After Total Mesorectal Excision and Rectal Replacement: Comparing Side-to-End, Colon J-Pouch and Straight Colorectal Reconstruction in a Randomized, Phase III Trial (SAKK 40/04).
Ribi K, Marti WR, Bernhard J, Grieder F, Graf M, Gloor B, Curti G, Zuber M, Demartines N, Andrieu C, Bigler M, Hayoz S, Wehrli H, Kettelhack C, Lerf B, Fasolini F, Hamel C; Swiss group for clinical cancer research, section surgery.
Ann Surg Oncol. 2019 Oct;26(11):3568-3576.

PMID: 31228136

16
Clinical Outcome After Rectal Replacement With Side-to-End, Colon-J-Pouch, or Straight Colorectal Anastomosis Following Total Mesorectal Excision: A Swiss Prospective, Randomized, Multicenter Trial (SAKK 40/04).
Marti WR, Curti G, Wehrli H, Grieder F, Graf M, Gloor B, Zuber M, Demartines N, Fasolini F, Lerf B, Kettelhack C, Andrieu C, Bigler M, Hayoz S, Ribi K, Hamel C; Swiss Group for Clinical Cancer Research (SAKK), Section Surgery.
Ann Surg. 2019 May;269(5):827-835.

PMID: 30252681

15
Recurrence Patterns and Long-term Results After Induction Chemotherapy, Chemoradiotherapy, and Curative Surgery in Patients With Locally Advanced Esophageal Cancer.
Steffen T, Dietrich D, Schnider A, Kettelhack C, Huber O, Marti WR, Furrer M, Gloor B, Schiesser M, Thierstein S, Brauchli P, Ruhstaller T; Swiss Group for Clinical Cancer Research (SAKK).
Ann Surg. 2019 Jan;269(1):83-87.

PMID: 28742685

14
Accuracy of frozen section analysis versus specimen radiography during breast-conserving surgery for nonpalpable lesions.
Weber WP, Engelberger S, Viehl CT, Zanetti-Dallenbach R, Kuster S, Dirnhofer S, Wruk D, Oertli D, Marti WR.
World J Surg. 2008 Dec;32(12):2599-606.

PMID: 18836763

13
Carbon dye staining of sentinel lymph nodes facilitates microstaging of colon cancer patients.
Viehl CT, Guller U, Hamel CT, Riehle HM, Plaass C, Marti WR, Oertli D, Zuber M.
World J Surg. 2006 Mar;30(3):453-6.

PMID: 16479343

12
Active antigen-specific immunotherapy of melanoma: from basic science to clinical investigation.
Spagnoli GC, Adamina M, Bolli M, Weber WP, Zajac P, Marti W, Oertli D, Heberer M, Harder F.
World J Surg. 2005 Jun;29(6):692-9. Review.

PMID: 15883665

11
Mammotome: less invasive than ABBI with similar accuracy for early breast cancer detection.
Weber WP, Zanetti R, Langer I, Dellas S, Zuber M, Moch H, Remmel E, Oertli D, Wight E, Marti WR.
World J Surg. 2005 Apr;29(4):495-9.

PMID:15770379

10

Free Article
Axillary recurrence rate in breast cancer patients with negative sentinel lymph node (SLN) or SLN micrometastases: prospective analysis of 150 patients after SLN biopsy.
Langer I, Marti WR, Guller U, Moch H, Harder F, Oertli D, Zuber M.
Ann Surg. 2005 Jan;241(1):152-8.

PMID: 15622003

9
Peritoneal mesothelioma after environmental asbestos exposure.
Rosenthal R, Langer I, Dalquen P, Marti WR, Oertli D.
Swiss Surg. 2003;9(6):311-4.

PMID: 14725101

8

Free PMC Article
Identification of sentinel lymph nodes in colon cancer depends on the amount of dye injected relative to tumor size.
Viehl CT, Hamel CT, Marti WR, Guller U, Eisner L, Stammberger U, Terracciano L, Spichtin HP, Harder F, Zuber M.
World J Surg. 2003 Dec;27(12):1285-90. Epub 2003 Nov 6.

PMID: 14595521

7
Perioperative detection of disseminated tumour cells is an independent prognostic factor in patients with colorectal cancer.
Bosch B, Guller U, Schnider A, Maurer R, Harder F, Metzger U, Marti WR.
Br J Surg. 2003 Jul;90(7):882-8.

PMID: 12854118

6
[Malignant transformation of perianal Buschke-Löwenstein tumor. Extensive abdominoperineal rectum excision and reconstruction with transpelvic myocutaneous rectus abdominis muscle flap].
Dolanc R, Kocher T, Langer I, Marti WR, Pierer G, Harder F.
Chirurg. 2002 Apr;73(4):370-4. German.

PMID: 12063923

5
Selective axillary surgery in breast cancer patients based on positron emission tomography with 18F-fluoro-2-deoxy-D-glucose: not yet!
Guller U, Nitzsche EU, Schirp U, Viehl CT, Torhorst J, Moch H, Langer I, Marti WR, Oertli D, Harder F, Zuber M.
Breast Cancer Res Treat. 2002 Jan;71(2):171-3.

PMID: 11881913

4

Advanced breast biopsy instrumentation for the evaluation of impalpable lesions: a reliable diagnostic tool with little therapeutic potential.
Marti WR, Zuber M, Oertli D, Weber WP, Müller D, Köchli OR, Langer I, Harder F.
Eur J Surg. 2001 Jan;167(1):15-8.

PMID: 11213814

3
[Small breast carcinomas--less axillary surgery?].
Gambazzi F, Zuber M, Oertli D, Marti W, Kocher T, Torhorst J, Harder F.
Swiss Surg. 2000;6(3):116-20. German.

PMID: 10894012

12
[The Advanced Breast Biopsy Instrumentation (ABBI) for evaluation of mammographically suspicious, non-palpable findings of the breast: a reliable diagnosis with minor therapeutic potential].
Marti WR, Zuber M, Oertli D, Weber WP, Müller D, Köchli OR, Wasmer S, Metzger J, Langer I, Harder F.
Swiss Surg. 2000;6(3):111-5. German.

PMID: 10894011

1
[Initial experiences with the Advanced Breast Biopsy Instrumentation (ABBI), a system for stereotactic excision of non-palpable breast lesions].
Oertli D, Zuber M, Müller D, Marti WR, Köchli OR, Torhorst J, Harder F.
Langenbecks Arch Chir Suppl Kongressbd. 1998;115:379-83. German.

PMID: 9931645